ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level pa	arts, the	declaratior	n encon		er level mate	erials for	which th	item is an assembly e manufacturer has eclaration.			
1752-2 1.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x						Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																	
Company Name *		Company Unique ID		Unique ID Au	Response Date *				Response Document ID								
SEMTECH CORPORATION	ON	SEMTECH CORPOR	RATION			2012-0	9-17										
Contact Name *		Title - Contact		Phone - Con	Email ·	- Contac	t *		D lin ata	044	A 4 la -	.:ID-					
Karen Pimental		QA Customer Suppo	rt Speciali	805-489-211	kpimental@semtech.com			m	Duplicate	Contact	-> Autho	rizea Re	presentative				
Authorized Representative *		Title - Representative	Э	Phone - Rep	Email - Representative *			*	Supplier Comments or URL for Additional Information								
Karen Pimental		QA Customer Suppo	ort Speciali	805-489-211	1	kpime	ntal@sei	mtech.co	m								
Requester Item Number		Mfr Item Number		Mfr Item Name)	Effective	e Date	Version Manuf		cturing Site	Weight *	UC	M	Unit Type			
		RClamp0514M.TBT		Low-Capacita	r			China		25.468]	Each				
Alternate Recommend	ation						Alternate Item C			mments		•					
Manufacturing Proce	ss In	formation															
Terminal Plating / Grid Array Material			Terminal Base Alloy		J-STD-020 MSL Ra	ating	Peak Prod	ess Body	Temper	rature Max Time at Peak Tem		perature Number of		of Reflow Cycles			
Matte Tin (Sn)			CU Alloy		1		260		260 C		30 secon		3				
Comments RClamp0514M.TBT is R	EAC	-d-compliant produc	t, per EU F	Regulation E	C1907/2006 to inc	clude re	ecent add	dition of	SVHC	candidate list	of substan	ces in J	anuary 2	018.			

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous	Weig	, U	Unit of			Leve	ovol	Substance Category			Substance	CAS	Exempt	Woight	Unit of	Tolerance		PPM
	Name			Material	weig	iii.	Measure			Leve		Substance Category			Substance			weight	Measure	-	+	FFIVI
+1 -1	Die	+M	-M	Doped Silicon	0.190 ⁻	1	mg	+C	-C	Suppli	er		+S	-S	Si	7440-21-3		0.1901	mg			7,463
+1 -1	Lead frame	+M	-M	CDA194	10.15	1 5	mg	+C	-C	Suppl	er		+S	-S	Cu	7440-50-8		9.8905	mg			388,34
						·							+S	-s	Fe	7439-89-6		0.2437	mg			9,569
													+S	-s	Р	7723-14-0		0.0081	mg			319
													+S	-s	Zn	7440-66-6		0.0122	mg			478
		+M	·M	Silver plating	0.285		mg	+C	-C	Suppl	er		+S	-S	Ag	7440-22-4		0.285	mg			11,189
+1 -1	Bonding wire	+M	-M	Au	0.0904	1	mg	+C	-C	Suppli	er		+S	-S	Au	7440-57-5		0.0904	mg			3,550
+1 -1	Molding compound	+M	-M	EME-G600	13.899	97	mg	+C	-C	Suppli	er		+S	-S	Epoxy resin	Proprietary		0.695	mg			27,288
						·							+S	-s	Phenol resin	Proprietary		0.695	mg			27,288
													+S	-s	Bismuth/Bismuth comp	Proprietary		0.0069	mg			273
													+S	-s	SiO2	60676-86-0		12.1553	mg			477,27
													+S	-s	Cresol Novolac	29690-82-2		0.278	mg			10,915
													+S	-s	С	1333-86-4		0.0695	mg			2,729
+1 -1	Die attached epoxy	+M	-M	8200TI	0.103	6	mg	+C	-C	Suppl	er		+S	-s	Ag	7440-22-4		0.0829	mg			3,254
													+S	-s	Acrylate resins	Proprietary		0.0207	mg			814
+1 -1	Tin solder	+M	-M	Pure Tin	0.7448	3	mg	+C	-C	Suppl	er		+S	-s	Sn	7440-31-5		0.7448	mg			29,245