



---

## Proposition 65 Compliance and Non-Use Declaration

Dear Customer,

March 14, 2022

Semtech Corporation, in cooperation with our suppliers, is continuously receiving industry standards regarding environmentally safe practices and processes. One such endeavor is compliance to California Proposition 65, also known as the "Safe Drinking Water and Toxic Enforcement Act of 1986" as it applies to any of the materials used in the fabrication or assembly of Semtech product

Currently, Semtech Corporation employs and maintains a fabless business model whereby Semtech Corporation does not fabricate or assemble its product within the state of California. Semtech Corporation acknowledges that our product may find its way into California. Our due diligence has indicated that there are no substances identified by Proposition 65 which are used intentionally, added, or disposed in a manner which could potentially impact the environment or harm human beings.

A full listing of the substances imparted by Proposition 65 are listed below, updated February 25, 2022, with their No Significant Risk Levels (NSRL) and Maximum Allowable Dose Levels (MADL). These levels have been established in regulation in Title 27, Cal. Code of Regulations, Sections 25705, 25709 and 25805.

Semtech Corporation is confident that this declaration satisfies any concerns regarding compliance to Proposition 65 as it applies to Semtech product assembled in or shipped to California.

Sincerely,

A handwritten signature in blue ink that reads "Randy Biddle".

Randy Biddle  
Manager, Corporate Quality Assurance  
Semtech Corporation  
200 Flynn Road  
Camarillo, CA 93012  
[rbiddle@semtech.com](mailto:rbiddle@semtech.com)  
Office: (805) 389-2787

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Below is a list of NSRLs and MADLs that provide "safe harbor" for businesses subject to the requirements of Proposition 65. These NSRLs and MADLs are established in regulation in Title 27, Cal. Code of Regulations, Sections 25705, 25709 and 25805. These safe harbor levels do not preclude the use of alternative levels, which can be demonstrated by their users as being scientifically valid. A hyperlink is provided for those NSRLs or MADLs for which the documentation of their derivation is electronically available.

Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
A-alpha-C (2-Amino-9H-pyrido[2,3-b]indole)	<a href="#">2</a>	
Acetaldehyde	90 (inhalation)	
Acetamide	<a href="#">10</a>	
2-Acetylaminofluorene	<a href="#">0.2</a>	
Acrylamide	0.2	<a href="#">140</a>
Acrylonitrile	0.7	
Actinomycin D	<a href="#">0.00008</a>	
AF-2;[2-(2-furyl)-3-(5-nitro-2-furyl)]acrylamide	<a href="#">3</a>	
Aldrin	0.04	
2-Amino-4-chlorophenol		
2-Aminoanthraquinone	<a href="#">20</a>	
o-Aminoazotoluene	<a href="#">0.2</a>	
4-Aminobiphenyl (4-aminodiphenyl)	<a href="#">0.03</a>	
3-Amino-9-ethylcarbazole hydrochloride	<a href="#">9</a>	
1-Amino-2-methylanthraquinone	<a href="#">5</a>	
N,N-Dimethylacetamide		
2-Amino-5-(5-nitro-2-furyl)-1,3,4-thiadiazole	<a href="#">0.04</a>	
Amitrole	<a href="#">0.7</a>	
Aniline	100	
o-Anisidine	<a href="#">5</a>	
o-Anisidine hydrochloride	<a href="#">7</a>	
Aramite	<a href="#">20</a>	
	0.06 (inhalation)	
Arsenic (inorganic arsenic compounds)	10 (except inhalation)	
Asbestos	100 fibers/day (inhalation)	
Atrazine [effective July 1, 2017]		<a href="#">100 (oral)</a>
Auramine	<a href="#">0.8</a>	
Avermectin B1 (Abamectin)		<a href="#">4.4</a>
Azaserine	<a href="#">0.06</a>	
Azathioprine	<a href="#">0.4</a>	
Azobenzene	6	
Benz[a]anthracene	<a href="#">0.033 (oral)</a>	
	<a href="#">6.4 (oral)</a>	<a href="#">24 (oral)</a>
Benzene	<a href="#">13 (inhalation)</a>	<a href="#">49 (inhalation)</a>

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Benzidine [and its salts]	0.001	
---------------------------	-------	--

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
Benzo[b]fluoranthene	0.096 (oral)	
Benzo[j]fluoranthene	0.11 (oral)	
Benzofuran	1.1	
Benzo[a]pyrene	0.06	
Benzyl chloride	4	
Benzyl violet 4B	30	
Beryllium	0.1	
Beryllium oxide	0.1	
Beryllium sulfate	0.0002	
Bevacizumab	N/A	N/A
Bis(2-chloroethyl)ether	0.3	
Bis(chloromethyl)ether	0.02	
Bisphenol A (BPA)		3 (dermal exposure from solid materials)
Bisphenol A (BPA)		
Bromodichloromethane	5	
Bromoethane	96	
Bromoform	64	
1,3-Butadiene	0.4	
Butylated hydroxyanisole	4000	
Butyl benzyl phthalate <sup>b</sup>		1200 (oral)
beta-Butyrolactone	0.7	
Cadmium	0.05 (inhalation)	4.1 (oral)
Cannabis (marijuana) smoke		
Captafol	5	
Captan	300	
Carbazole	4.1	
Carbon tetrachloride	5	
N-Carboxymethyl-N-nitrosourea	0.70	
Chlorambucil	0.002	
Chlordane	0.5	
Chlordecone (Kepone)	0.04	
Chlorendic acid	8	
Chlorinated paraffins (Average chain length, C12;approximately 60 percent chlorine by weight)		8
p-Chloroaniline	1.5	
p-Chloroaniline hydrochloride	1.9	
Chloroethane (Ethyl chloride)	150	
Chloroform	20 (oral) 40 (inhalation)	
Chloromethyl methyl ether (technical grade)	0.3	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

2-Chloronitrobenzene		
3-Chloro-2-methylpropene		5

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
4-Chloro-o-phenylenediamine	40	
Chlorothalonal	41	
p-Chloro-o-toluidine	3	
p-Chloro-o-toluidine, hydrochloride	3.3	
p-chloro- $\alpha,\alpha,\alpha$ -trifluorotoluene ( <i>para</i> -Chlorobenzotrifluoride, PCBTF)	N/A	N/A
Chlorozotocin	0.003	
Chromium (hexavalent compounds)	0.001 (inhalation)	<a href="#">8.2 (oral)</a>
Chrysene	0.35 (oral)	
C.I. Basic Red 9 monohydrochloride	3	
C.I. Direct Blue 218	50	
Cinnamyl anthranilate	200	
Coke oven emissions	0.3	
p-Cresidine	5	
Cupferron	3	
Cyanide salts that readily dissociate in solution (expressed as cyanide) <sup>b</sup>		<a href="#">9.8 (oral)</a>
Cyclophosphamide (anhydrous)	1	
Cyclophosphamide (hydrated)	1	
D&C Red No. 9	100	
Dacarbazine	0.01	
Daminozide	40	
Dantron (Chrysazin; 1,8-Dihydroxyanthraquinone)	9	
2,4-D butyric acid		910
DDD, DDE, DDT (in combination)	2	
DDVP (Dichlorvos)	2	
Des-ethyl atrazine (DEA) [effective July 1, 2017]		<a href="#">100 (oral)</a>
Des-isopropyl atrazine (DIA) [effective July 1, 2017]		<a href="#">100 (oral)</a>
2,4-Diaminoanisole	30	
2,4-Diaminoanisole sulfate	50	
2,4 -diamino-6-chloro-s-triazine (DACT) [effective July 1, 2017]		<a href="#">100 (oral)</a>
4,4'-Diaminodiphenyl ether (4,4'-Oxydianiline)	5	
2,4-Diaminotoluene	0.2	
1,4-Dichloro-2-nitrobenzene		
2,4-Dichloro-1-nitrobenzene		
Dibenz[a,h]anthracene	0.2	
7H-Dibenzo[c,g]carbazole	0.0030 (oral)	
Dibenzo[a,h]pyrene	0.0054 (oral)	
Dibenzo[a,i]pyrene	0.0050 (oral)	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

1,2-Dibromo-3-chloropropane (DBCP)	0.1	3.1 (oral)
		4.3 (inhalation)
Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
p-Dichlorobenzene	20	
3,3'-Dichlorobenzidine	0.6	
1,1-Dichloroethane	<u>100</u>	
Dichloromethane (Methylene chloride)	50 200 (inhalation)	
1,2-Dichloropropane	<u>9.7</u>	
Dieldrin	0.04	
Di(2-ethylhexyl)phthalate (DEHP)	<u>310</u>	
Adult <sup>c</sup>		<u>4200 (intravenous)</u>
Infant boys, age 29 days - 24 mos. <sup>c</sup>		<u>600 (intravenous)</u>
Neonatal infant boys, age 0 - 28 days <sup>c</sup>		<u>210 (intravenous)</u>
Adult <sup>c</sup>		<u>410 (oral)</u>
Infant boys, age 29 days - 24 mos. <sup>c</sup>		<u>58 (oral)</u>
Neonatal infant boys, age 0 - 28 days <sup>c</sup>		<u>20 (oral)</u>
Diethylstilbestrol (DES)	<u>0.002</u>	
Diglycidyl resorcinol ether (DGRE)	<u>0.4</u>	
Dihydrosafrole	<u>20</u>	
Di-isodecyl phthalate (DIDP)		<u>2200</u>
Diisononyl phthalate (DINP)	<u>146</u>	
3,3'-Dimethoxybenzidine (o-Dianisidine)	<u>0.15</u>	
3,3'-Dimethoxybenzidine dihydrochloride	<u>0.19</u>	
4-Dimethylaminoazobenzene	<u>0.2</u>	
trans-2-[(Dimethylamino)methylimino]-5-[2-(5-nitro-2-furyl)vinyl]-1,3,4-oxadiazole	<u>2</u>	
7,12-Dimethylbenz(a)anthracene	<u>0.003</u>	
3,3'-Dimethylbenzidine (ortho-Tolidine)	<u>0.044</u>	
3,3'-Dimethylbenzidine dihydrochloride	<u>0.059</u>	
Dimethylcarbamoyl chloride	<u>0.05</u>	
1,2-Dimethylhydrazine	<u>0.001</u>	
Dimethylvinylchloride	<u>20</u>	
Di-n-butyl phthalate (DBP)		<u>8.7</u>
Di-n-hexyl phthalate (DnHP)		<u>2200 (oral)</u>
m-Dinitrobenzene		<u>38</u>
2,4-Dinitrotoluene	<u>2</u>	
1,4-Dioxane	<u>30</u>	
Direct Black 38 (technical grade)	<u>0.09</u>	
Direct Blue 6 (technical grade)	<u>0.09</u>	
Direct Brown 95 (technical grade)	<u>0.1</u>	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

		56 (oral) 170 (oral) as 32% <u>pesticidal formulation</u>
Disodium cyanodithioimidocarbonate		
Disperse Blue 1	200	
Epichlorohydrin	9	
Estradiol 17B	0.02	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
Ethylbenzene	54 (inhalation) 41 (oral)	
Ethyl dipropylthiocarbamate		700 (oral and inhalation) 6700 (dermal)
Ethyl-4,4'-dichlorobenzilate		7
2-Eethylhexyl acrylate		
Ethylene dibromide	0.2 (oral) 3 (inhalation)	
Ethylene dichloride (1,2-Dichloroethane)		10
Ethylene glycol (ingested) [effective July 1, 2017]		8700 (oral)
Ethylene glycol monoethyl ether		750 (oral) 960 (inhalation)
Ethylene glycol monoethyl ether acetate		1100 (oral) 1400 (inhalation)
Ethylene glycol monomethyl ether		63 (oral)
Ethylene glycol monomethyl ether acetate		98 (oral)
Ethyleneimine	0.01	
Ethylene oxide	2	20
Ethylene thiourea	20	
Folpet	200	
Formaldehyde (gas)	40	
2-(2-Formylhydrazino)-4-(5-nitro-2-furyl)thiazole	0.3	
Furmecyclox	20	
Glu-P-1 (2-Amino-6-methyldipyrido[1,2-a:3',2'-d]imidazole)	0.1	
Glu-P-2 (2-Aminodipyrido[1,2-a:3',2'-d]imidazole)	0.5	
Glycidol	0.54	
Gyromitrin (Acetaldehyde methylformylhydrazone)	0.07	
HC Blue 1	10	
Heptachlor	0.2	
Heptachlor epoxide	0.08	
Hexachlorobenzene	0.4	
Hexachlorocyclohexane (technical grade)	0.2	
Hexachlorocyclohexane (alpha isomer)	0.3	
Hexachlorocyclohexane (beta isomer)	0.5	
Hexachlorocyclohexane (gamma isomer)	0.6	
Hexachlorodibenzodioxin	0.0002	
Hexachloroethane	20	
Hydramethynon		120 (oral)
Hydrazine	0.04	
Hydrazine sulfate	0.2	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
Hydrazobenzene (1,2-Diphenylhydrazine)	<u>0.8</u>	
Hydrogen cyanide <sup>b</sup>		<u>10 (oral)</u>
Imazalil	<u>11</u>	
IQ (2-Amino-3-methylimidazo[4,5-f] quinoline)	<u>0.5</u>	
Indium tin oxide		
Isobutyl nitrite	<u>7.4</u>	
Lasiocarpine	<u>0.09</u>	
Lead	<u>15 (oral)</u>	0.5
Lead acetate	<u>23 (oral)</u>	
Lead phosphate	<u>58 (oral)</u>	
Lead subacetate	<u>41 (oral)</u>	
Linuron		<u>460</u>
Me-A-alpha-C (2-Amino-3-methyl-9H-pyrido[2,3-b]indole)	<u>0.6</u>	
MeIQ (2-Amino-3,4-dimethylimidazo[4,5-f]quinolin)	<u>0.46</u>	
MeIQx (2-Amino-3,8-dimethylimidazo[4,5-f]quinoxaline)	<u>0.41</u>	
Melphalan	<u>0.005</u>	
Methanol		<u>47,000 (inhalation)</u> <u>23,000 (oral)</u>
2-Methylaziridine (Propyleneimine)	<u>0.028</u>	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Methyl bromide, as a structural fumigant		<a href="#">810 (inhalation)</a>
Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
Methyl carbamate	<a href="#">160</a>	
3-Methylcholanthrene	<a href="#">0.03</a>	
5-Methylchrysene	<a href="#">0.0084 (oral)</a>	
4,4'-Methylene bis(2-chloroaniline)	<a href="#">0.5</a>	
4,4'-Methylene bis(N,N-dimethyl)benzenamine	20	
4,4'-Methylene bis(2-methylaniline)	<a href="#">0.8</a>	
4,4'-Methylenedianiline	<a href="#">0.4</a>	
4,4'-Methylenedianiline dihydrochloride	<a href="#">0.6</a>	
Methylhydrazine	0.058 (oral) <a href="#">0.090 (inhalation)</a>	
Methylhydrazine sulfate	<a href="#">0.18</a>	
4-Methylimidazole	<a href="#">29</a>	
Methyl methanesulfonate	<a href="#">7</a>	
2-Methyl-1-nitroanthraquinone (of uncertain purity)	<a href="#">0.2</a>	
Molybdenum trioxide		
N-Methyl-N'-nitro-N-nitrosoguanidine	<a href="#">0.08</a>	
N-Methylpyrrolidone		3200 (inhalation) <a href="#">17000 (dermal)</a>
N,N-Dimethylacetamide		
Methylthiouracil	<a href="#">2</a>	
Michler's ketone	<a href="#">0.8</a>	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Mirex	<u>0.04</u>	
-------	-------------	--

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
Mitomycin C	<u>0.00009</u>	
Monocrotaline	<u>0.07</u>	
5-(Morpholinomethyl)-3-[(5-nitrofurylidene)-amino]-2-oxazolidinone	<u>0.18</u>	
MX (3-chloro-4-dichloromethyl-5-hydroxy-2(5H)-furanone)	<u>0.11</u>	
Nalidixic acid	<u>28</u>	
Naphthalene	<u>5.8</u>	
2-Naphthylamine	<u>0.4</u>	
Nickel refinery dust from the pyrometallurgical process	<u>0.8</u>	
Nickel subsulfide	<u>0.4</u>	
Nitrilotriacetic acid	<u>100</u>	
Nitrilotriacetic acid, trisodium salt monohydrate	<u>70</u>	
5-Nitroacenaphthene	<u>6</u>	
Nitrofen (technical grade)	<u>9</u>	
Nitrofurazone	<u>0.5</u>	
1-[(5-Nitrofurylidene)-amino]-2-imidazolidinone	<u>0.4</u>	
N-[4-(5-Nitro-2-furyl)-2-thiazoyl]acetamide	<u>0.5</u>	
Nitromethane	<u>39</u>	
N-Nitrosodiethanolamine	<u>0.3</u>	
N-Nitrosodiethylamine	<u>0.02</u>	
N-Nitrosodimethylamine	<u>0.04</u>	
N-Nitrosodi- <i>n</i> -butylamine	<u>0.06</u>	
N-Nitrosodi- <i>n</i> -propylamine	<u>0.1</u>	
p-Nitrosodiphenylamine	<u>30</u>	
N-Nitrosodiphenylamine	<u>80</u>	
4-(N-Nitrosomethylamino)-1-(3-pyridyl)1-butanone	<u>0.014</u>	
N-Nitrosomethylethylamine	<u>0.03</u>	
N-Nitrosomorpholine	<u>0.1</u>	
N-Nitroso-N-ethylurea	<u>0.03</u>	
N-Nitroso-N-methylurea	<u>0.006</u>	
N-Nitroso-N-methylurethane	<u>0.006</u>	
N-Nitrosonornicotine	<u>0.5</u>	
N-Nitrosopiperidine	<u>0.07</u>	
N-Nitrosopyrrolidine	<u>0.3</u>	
para-Nitroanisole		
Perfluorononanoic acid (PFNA) and its salts		

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Perfluorooctane sulfonic acid (PFOS) and its salts and transformation and degradation precursors		
Perfluorooctanoic acid (PFOA)		
Pentachlorophenol	40	
Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
Methyl acrylate		
Phenacetin	<u>300</u>	
Phenazopyridine	<u>4</u>	
Phenazopyridine hydrochloride	<u>5</u>	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Phenesterin	<a href="#">0.005</a>	
-------------	-----------------------	--

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
Phenobarbital	<u>2</u>	
Phenoxybenzamine	<u>0.2</u>	
Phenoxybenzamine hydrochloride	<u>0.3</u>	
o-Phenylenediamine	<u>26</u>	
o-Phenylenediamine dihydochloride	<u>44</u>	
Phenyl glycidyl ether	<u>5</u>	
Phenylhydrazine	<u>1</u>	
Phenylhydrazine hydrochloride	<u>1.4</u>	
o-Phenylphenate, sodium	<u>200</u>	
Polybrominated biphenyls	0.02	
Polychlorinated biphenyls	0.09	
Polygeenan	<u>1200</u>	
Ponceau MX	<u>200</u>	
Ponceau 3R	<u>40</u>	
Potassium bromate	<u>1</u>	
Potassium cyanide <sup>b</sup>		<u>25 (oral)</u>
Potassium dimethyldithiocarbamate		<u>720</u>
Procarbazine	<u>0.05</u>	
Procarbazine hydrochloride	<u>0.06</u>	
Propazaine [effective July 1, 2017]		<u>100 (oral)</u>
1,3-Propane sultone	<u>0.3</u>	
beta-Propiolactone	<u>0.05</u>	
Propylthiouracil	<u>0.7</u>	
Quizalofop-ethyl		
Reserpine	<u>0.06</u>	
Safrole	<u>3</u>	
Simazine [effective July 1, 2017]		<u>100 (oral)</u>
Sodium cyanide <sup>b</sup>		<u>19 (oral)</u>
Sodium dimethyldithiocarbamate		<u>23 (oral)</u> <u>58 (oral) as a 40% pesticidal formulation</u>
Sterigmatocystin	<u>0.02</u>	
Streptozotocin (streptozocin)	<u>0.006</u>	
Styrene [effective July 1, 2017]	<u>27</u>	
Styrene oxide	<u>4</u>	
Sulfallate	<u>4</u>	
Sulfur dioxide <sup>b</sup>		<u>10,000</u>
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)	0.000005	
1,1,2,2-Tetrachloroethane	<u>3</u>	
Tetrachloroethylene (Perchloroethylene)	14	
Tetrahydrofuran		

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

$\Delta^9$ - Tetrahydrocannabinol ( $\Delta^9$ -THC)		
--	--	--

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

Chemical	NSRL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>	MADL ( $\mu\text{g}/\text{day}$ ) <sup>a</sup>
Tetranitromethane	<u>0.059</u>	
Thioacetamide	<u>0.1</u>	
4,4'-Thiodianiline	<u>0.05</u>	
Thiophanate methyl		<u>600 (oral)</u>
Thiourea	<u>10</u>	
Toluene		<u>7000</u> <sup>c</sup>
Toluene diisocyanate	<u>20</u>	
o-Toluidine	<u>4</u>	
o-Toluidine hydrochloride	<u>5</u>	
Trimethylolpropane triacrylate, technical grade		
Toxaphene (Polychlorinated camphenes)	<u>0.6</u>	
Trichloroethylene	<u>14 (oral)</u> <u>50</u> <u>(inhalation)</u>	
2,4,6-Trichlorophenol	<u>10</u>	
Trimethyl phosphate	<u>24</u>	
2,4,6-Trinitrotoluene (TNT)	<u>8.2</u>	
2,6-Xylidine (2,6-Dimethylaniline)	<u>110</u>	
Tris(1-aziridinyl)phosphine sulfide (Thiotepa)	<u>0.06</u>	
Tris(2,3-dibromopropyl)phosphate	<u>0.3</u>	
Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	<u>5.4</u>	
Trp-P-1 (Tryptophan-P-1)	<u>0.03</u>	
Trp-P-2 (Tryptophan-P-2)	<u>0.2</u>	
Urethane (Ethyl carbamate)	<u>0.7</u>	
Vinyl chloride	<u>3</u>	
Vinyl trichloride (1,1,2-Trichloroethane)	<u>10</u>	

**Office of Environmental Health Hazard Assessment**  
**Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and**  
**Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity**

<sup>a</sup> Where a source or product results in exposures by multiple routes, the total exposure must be considered. For example, the MADL for benzene is exceeded when the absorbed dose exceeds 24 µg/day. If only inhalation and oral exposure occurs, the benzene MADL is exceeded when: (oral dose ÷ 24 µg/day) + (inhalation dose ÷ 49 µg/day) > 1.0.

<sup>b</sup> Butyl benzyl phthalate MADL was adopted June 25, 2013, Sulfur dioxide MADL was adopted July 11, 2013, Hydrogen cyanide and cyanide salts MADLs were adopted August 8, 2013; however, in accordance with Government Code section 11343.4 the MADLs will become effective October 1, 2013.

<sup>c</sup> Levels for male children and adolescents were calculated by application of the default bodyweights specified in Section 25703(a)(8) to the procedure specified in Sections 25801 and 25803, Title 27, California Code of Regulations.

<sup>d</sup> Level represents absorbed dose (rounded from 6,525 µg/day). Since 100% of ingested toluene is absorbed, oral dose is equivalent to administered dose. It is assumed that roughly 50% of the dose administered by the inhalation route is absorbed. Therefore the MADL for inhaled toluene is 13,000 µg/day (rounded from 13,050 µg/day ), corresponding to an absorbed dose of 6,525 µg/day.