ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES ®	© Co	terial Compo pyright 2005. IPC, Bannoo nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lowe	r level p	arts, the	declaratio	n encomp		ver level mat	erials for	which th	item is an assembly e manufacturer has eclaration.			
1752-2 1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x							n Type * ribute			eclaration Class * ass 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																	
Company Name *	Company Unique ID		Unique ID Au	Response Date *			R	esponse Dod	cument ID								
SEMTECH CORPORATION	NC	SEMTECH CORPO	RATION		2016-0	07-20											
Contact Name *		Title - Contact		Phone - Cor	Email	- Contac	t *		5 " ·	<u> </u>	A /I						
Elvia Finkel		Specialist, Documen	t Control/C	805-498-2111		efinkel@semtech.com				Duplicat	e Contact	-> Autho	rized Re	presentative			
Authorized Representati	Title - Representativ	e	Phone - Representative *		Email - Representative *			* S	Supplier Comments or URL for Additional Information								
Elvia Finkel		Specialist, Documer	nt Control/C	805-498-211	1	efinke	l@semte	ch.com									
Requester Item Number		Mfr Item Number		Mfr Item Name	Effectiv	e Date	Version Manuf		uring Site	Weight *	UC	M	Unit Type				
		GS6080-INE3		6G/3G/HD/SI	D Cable Driver				Malaysia		46.78		1	Each			
Alternate Recommendation						Altern		Alternate	Item Com	ments				•			
Manufacturing Proces	ss In	formation															
Terminal Plating / Grid Array Material Terminal				ase Alloy	ating	iting Peak Process Body Ten			ure Max Time	e at Peak Tem	perature	Number o	of Reflow Cycles				
Matte Tin (Sn)			CU Alloy	,	1				<b>260</b> C		<b>30</b> se						
Comments  GS6080-INE3 is a REACI	H-cor	mpliant product, per	· EU Regu	lation EC190	7/2006 to include	e recen	addition	of SVH	C candid	ate list of s	ubstances [	Decembe	er 2015				

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type \*** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance \* Accepted **RoHS Declaration \*** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature** 

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## **Homogeneous Material Composition Declaration for Electronic Products**

**Subltem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem				Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Fxemnt	Weight	01	Tolerance		PPM
		Name			Material	Weight	Measure			LCVCI	oubstance outegory			Gubstance	OAO	Lxciiipt	weight	Measure	-	+	
-	1 -1	Chip	+M	-М		1.12	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		1.12	mg			1,000,0
-	1 -1	Die Attach	+M	-M	CRM-1076DS	0.17	mg	+C	-C	Supplier		+S	-S	Ag	7440-22-4		0.13	mg			770,00
						•						+S	-s	Epoxy Resin	9003-36-5		0.02	mg		·	125,00
												+S	-s	t-Butyl phenyl glycidyl	3101-60-8		0.01	mg			65,000
												+S	-s	Phenolic Resin	9003-35-4		0	mg			27,500
												+S	-s	Epoxy Silane	2530-83-8		0	mg			12,500
-	I -I	Lead Finish Externa	+M	-М		1.61	mg	+C	-C	Supplier		+S	-S	Sn	744-31-5		1.61	mg			1,000,0
-	I -I	Leadframe	+M	-М	C194	21.17	mg	+C	-C	Supplier		+S	-S	Cu	7440-50-8		20.41	mg			964,20
									_			+S	-s	Fe	7439-89-6		0.5	mg			23,500
												+S	-s	Ag	7440-22-4		0.21	mg			10,000
												+S	-s	Zn	7740-66-6		0.03	mg			1,300
												+S	-s	Р	7723-14-0		0.02	mg			1,000
-	I -I	Mold Compound	+M	-М	EME G770HCD	22.62	mg	+C	-C	Supplier		+S	-S	Carbon Black	1333-86-4		0.07	mg			3,000
									_			+S	-s	Epoxy Resin	Trade Secre		0.68	mg			30,000
												+S	-s	Phenol Resin	Trade Secre		0.68	mg			30,000
												+S	-s	Silica Fused	60676-86-0		21.19	mg			937,00
•	1 -1	Wire	+M	-М	EX1 1.0MIL PD C	0.09	mg	+C	-C	Supplier		+S	-s	Cu	7440-50-8		0.08	mg	ĺ		973,00
												+S	-s	Pd	7440-05-3		0.01	mg			27,000