ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoci nternational and Pan-Americ	kburn, Illinois	All rights reserv	tion with lower	level	parts, the	declaratio	n encor		ver level mater	ials for which	the item is an assembly the manufacturer has declaration.	
1752-2 1.1		Web Site for Informat //www.ipc.org/IPC-1	ard					eclaration Class * lass 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa						
Supplier Information														
Company Name *		Company Unique ID		Unique ID Authority			Response Date *			Response Document ID				
SEMTECH CORPORATI	ON	00-847-9941		DUNS			2013-12-05							
Contact Name *		Title - Contact		Phone - Contact *			Email - Contact *			D !: 1	0 1 1	A (I ' I I	n 1	
Roya Motamedi		QA Customer Servic	e Specialis	805-389-274	rmotamedi@semtech.com			om	Duplicate	e Contact ->	> Autnorized	Representative		
Authorized Representat	ive *	Title - Representative	Э	Phone - Representative *			Email - Representative *			Supplier Comr	ments or URL	for Additional	Information	
Roya Motamedi		QA Customer Servic	e Specialis	805-389-274	12	rmota	amedi@se	emtech.c	om					
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective Date		Version	Manufa	cturing Site	turing Site Weight *		Unit Type		
		SC310BSKTRT		High-Side Current-Sense Ampli			f		Malays	17.56248		mg	Each	
Alternate Recommendation					Alternate Ite			Item Co	n Comments					
Manufacturing Proce	ss In	formation												
Terminal Plating / Grid Array	Mater	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	iting	Peak Proc	ess Body	Temper	ature Max Time	e at Peak Tempe	erature Numbe	er of Reflow Cycles	
Matte Tin (Sn)		CU Alloy	·	1			_	2 60 C			conds 3	·		
Comments					•		•			1		'		

SC310BSKTRT is REACH-compliant product, per EU Regulation EC1907/2006 to include recent addition of SVHC candidate list of substances in June 2013.

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem				Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Evemnt	Weight	Unit of	Tolerance		PPM
		Name			Material	weight	Measure			Levei	Substance Category			Substance	CAS	Exempl	weight	Measure	-	+	FIVI
+1	-1	Die	+M	-M	Doped Silicon	1	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		1	mg		56	6,939
+1	-1	Leadframe	+M	-M	C194 Copper All	6 7.8	mg	+C	-C	Supplier		+S	-S	Copper	7440-50-8		7.53402	mg		42	28,98
	·					•	•					+S	-s	Iron	7439-89-6		0.17597	mg		1(0,019
								+C	-C	A	Lead/Lead Compound	+S	-s	Lead	7439-92-1		0.00023	mg		1;	3.32
								+C	- C	Supplier		+S	-S	Р	7723-14-0		0.00187	mg		10	06.59
												+S	-S	z	7440-66-6		0.00991	mg		56	64.04
												+S	-s	Ag	7440-22-4		0.078	mg		4,	,441.2
+1	-1	Die attach material	+M	-M	QMI519	0.07	mg	+C	-C	Supplier		+S	-S	Silver	7440-22-4		0.07	mg		3,	786.4
	·					•	•					+S	-s	Dicyclopentenyloxyethy	68586-19-6		0.003	mg		17	79.36
												+S	-s	Dicumyl peroxide	80-43-3		0.0004	mg		19	9.93
+1	-1	Wire	+M	-M	Gold	0.17	mg	+C	-C	Supplier		+S	-S	Au	7440-57-5		0.17	mg		9,	,678.7
+1	-1	Encapsulation	+M	-M	CEL8240HF10	8.12	mg	+C	-C	Supplier		+S	-S	Epoxy resin-1	Proprietary		0.24	mg		13	3,870
	·					•	•					+S	-s	Epoxy resin-2	Proprietary		0.24	mg		13	3,870
												+S	-s	Phenol resin	Proprietary		0.37	mg		20	0,805
												+S	-S	Silica	60676-86-0		7.09	mg		4(03,63
												+S	-S	С	1333-86-4		0.02	mg		92	24.7
												+S	-S	Others	Proprietary		0.16	mg		9,	,246.9
+I	-I	Lead Finish	+M	-M	Solder Alloy	0.40248	mg	+C	-C	Supplier		+S	-s	Sn	7440-31-5		0.40248	mg		22	2,917