ASSOCIATION CO.	© (aterial Compo Copyright 2005. IPC, Bannoo international and Pan-Amer	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaration	n encom	passes all		el mate	erials for	which th	item is an assembly e manufacturer has eclaration.		
1752-2 1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x							Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Infor	rmation																
Company Nam	ne *	Company Unique ID		Unique ID Au	uthority	Response Date *			R	esponse	Documen	t ID					
SEMTECH COI			00-847-9941	0-847-9941													
Contact Name * Title - Contact				Phone - Cor	ntact *	Email	- Contac	t *							:		
ROYA READEI	R	Quality Customer Se	ervice Spec	805-389-274	Rreader@semtech.com			ո	Dupl	licate Co	ntact -	·> Autho	rized Re	presentative			
Authorized Re	presentative *	Title - Representativ	е	Phone - Rep	Email - Representative *			* S	Supplier Comments or URL for Additional Information								
ROYA READEI	R	Quality Customer Se	ervice Spec	805-389-274	Rreader@semtech.com			ո									
Requester Item Number		Mfr Item Number		Mfr Item Name	Effectiv	e Date	Version Manufa		facturing Site		ght *	UO	М	Unit Type			
SLVU2.8-8	B.TBT	SLVU2.8-8.TBT	EPD TVS Dic		ode Array for ESD	a			Philippir	nes	78.4	195	mg		Each		
Alternate R	Recommendation	1			Alterna			Item Con	tem Comments					•			
Manufacturir	ng Process I	nformation															
Terminal Plating /	/ Grid Array Mate	ase Alloy	ating	ting Peak Process Body Tem			ture Max	Time at Pea	ak Temp	perature Number of Reflow Cycles							
Matte Tin (Sn)			CU Alloy	,	1			260		30		30 se	conds	3			
Comments					1					L			Į.				
SLVU2.8-8.TB1	T is REACH-c	ompliant product, pe	r EU Regu	lation EC190	7/2006 to include	recent	addition	of SVH	C candi	date list	of substar	nces in	Septer	nber 201	12.		

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Woight	Unit of			Lovel	Substance Catagory			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		PPM
Name			Material	Weight	Measure			Level	Substance Category			Substance					-	+	PPIVI
+1 -1	Die	+M -M	Doped Silicon	2.7	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		2.7	mg			34,397
+1 -1	Leadframe	+M -M	A194	24.89	mg	+C	-C	Supplier		+S	-S	Cu	7440-50-8		24.1433	mg			307,57
										+S	-s	Fe	7439-89-6		0.5849	mg			7,452
										+S	-s	Р	7723-14-0		0.0199	mg			254
										+S	-s	Zn	7440-66-6		0.0299	mg			381
										+S	-s	Ag	7440-22-4		0.112	mg			1,427
+1 -1	Die attach	+M -M	Conductive 2600	1.73	mg	+C	-C	Supplier		+S	-S	Epoxy Resin	129915-35-1		0.346	mg			4,408
										+S	-s	Silver	7440-22-4		1.2543	mg			15,979
										+S	-s	Paraffinic Hydrocarbon	Proprietary		0.1298	mg			1,653
+1 -1	Wire	+M -M	Gold	0.265	mg	+C	-C	Supplier		+S	-S	Au	7440-57-5		0.265	mg			3,376
+1 -1	Encapsulation	+M -M	Epoxy Resin EM	47.91	mg	+C	-C	Supplier		+S	-S	Fused Silica	60676-86-0		41.9213	mg			534,06
	-									+S	-S	Epoxy Resin	129915-35-1		2.3955	mg			30,518
										+S	-S	Epoxy, Cresol Novolac	29690-82-2		0.9582	mg			12,207
										+S	-S	Phenol Resin	Proprietary		2.3955	mg			30,518
										+S	-S	С	1333-86-4		0.2396	mg			3,052
+1 -1	Lead Finish	+M -M	Tin Alloy	1	mg	+C	-C	Supplier		+S	-S	Sn	7440-31-5		1	mg			12,740