ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level pa	arts, the	declaratio	n encom	passes all l		terials for	which th	e item is an assembly ne manufacturer has leclaration.		
1752-2 1.1 IPC Web Site for Information on IPC-1 http://www.ipc.org/IPC-175x					-1752 Standard						ation Class * 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa					
Supplier Information																
Company Name *		Company Unique ID		Unique ID Au	uthority	Respo	nse Date	*	F	Response D	ocument ID					
SEMTECH CORPORATION	00-847-9941		DUNS		2022-01-28											
Contact Name * Title - Contact				Phone - Contact *			Email - Contact *				-1- 011	A	:			
Adalmira (Mira) Duong	QA/Customer Suppo	rt Represe	805-498-2111		aduong@semtech.com				Duplica	ate Contact	-> Autho	orizea Re	epresentative			
Authorized Representative * Title - F		Fitle - Representative Phone - Rep			epresentative * Email		Email - Representative *		*	Supplier Cor	nments or UF	RL for Add	ditional Ir	nformation		
Adalmira (Mira) Duong		QA/Customer Suppo	ort Represe	805-498-211	1	aduon	g@semt	ech.com								
Requester Item Number		Mfr Item Number		Mfr Item Name		Effective Date Version		Version	Manufa	cturing Site	Weight *	UC	OM	Unit Type		
		TCLAMP3602P.TCT		Low Capacita	r China			China	1.3		mç	9	Each			
Alternate Recommend	lation							Alternate	Item Cor	nments	<u> </u>					
Manufacturing Proce	ss In	formation														
Terminal Plating / Grid Array	Mater	ial	Terminal B	ase Alloy	J-STD-020 MSL Ra	ating	Peak Proc	ess Body	Tempera	ture Max Ti	me at Peak Ter	nperature	Number	of Reflow Cycles		
Nickel/Palladium/Gold (Ni/Pd/Au) Comments Cu Alloy			,	1		255				54 seconds 1						
Comments TCLAMP3602P.TCT is R	EAC	I-compliant product	t, per EU F	Regulation E	C1907/2006 to inc	clude th	e most r	ecent ad	ditions	to the SVH	IC candidate	list of su	ubstance	es.		

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Evennt	Weight	Unit of	Tolera	ance	PPM
	Name		Material	weight	Measure		Level	Substance Category			Substance	CAS	Exempt	weight	Measure	-	+	PPIVI
+1 -1	Die	+M -M	Silicon Die	0.15	mg	+C -C	Supplier		+S	-S	Silicon (Si)	7440-21-3		0.15	mg			115,38
+1 -1	Lead Frame	+M -M	C7025	0.4	mg	+C -C	Supplier	QPL	+S	Ş	Copper (Cu)	7440-50-8		0.386644	mg			297,41
									+S	-s	Fe	7439-89-6		0.0096	mg			7,384.6
									+S	-s	Р	7723-14-0		0.004	mg			307.69
									+S	-s	Zn	7440-66-6		0.0004	mg			307.69
									+S	-s	Gold	7440-57-5		0.00004	mg			30.769
									+S	-s	Palladium	7440-05-3		0.0004	mg			307.69
									+S	-s	Lead	1344-28-1		0.000036	mg			27.692
									+S	-s	Nickel	7440-02-0		0.002	mg			1,538.4
									+S	-s	Polyimide	Trade Secre		0.00036	mg			276.92
									+S	-s	NBR	9003-18-3		0.00004	mg			30.769
									+S	-s	Bismaleimide	79922-55-7		0.00004	mg			30.769
									+S	-s	Phenol resin	28453-20-5		0.00004	mg			30.769
+1 -1	Flux	+M -M	TAC026	0.1	mg	+C -C	Supplier	INDIUM	+S	-s	POLYGLYCOL ETHER	9038-95-3		0.08	mg			61,538
	-			•		·	,		+S	-s	CARBOXYLIC ACID	70248-25-8		0.005	mg		·	3,846.1
									+S	-s	ALCOHOLS	68603-15-6		0.015	mg			11,538
+1 -1	Mold Compound	+M -M	EME-G770	0.65	mg	+C -C	Supplier	ѕимітомо	+S	-S	Epoxy Resin A	Trade Secre		0.026	mg			20,000
	-			•		· ·	•		+S	-s	Epoxy Resin B	Trade Secre		0.026	mg			20,000
									+S	-s	Phenol Resin A	Trade Secre		0.026	mg			20,000
									+S	-s	Phenol Resin B	Trade Secre		0.026	mg			20,000
									+S	-s	Silica(Amorphous) A	60676-86-0		0.455	mg			350,00
									+S	-s	Silica(Amorphous) B	7631-86-9		0.052	mg			40,000
									+S	-s	Metal Hydroxide	Trade Secre		0.0325	mg			25,000

-s	-s	Carbon Black	1333-86-4	0.0065	mg		5,000	
					_			