	© Cop	terial Compo pyright 2005. IPC, Bannock Iternational and Pan-Americ	kburn, Illinois	. All rights reserve	tion with lower	level pa	arts, the	declaratio	n encom		ver level mate	erials for	which t	e item is an assembly he manufacturer has declaration.	
1/32-2 1.1		Neb Site for Informati		-1752 Standa	rd				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa						
Supplier Information															
Company Name *		Company Unique ID		Unique ID Au	Ithority	Respo	nse Date) *	F	Response Do	cument ID				
SEMTECH CORPORATION 00-847-9941				DUNS		2016-08-23									
Contact Name * Roya Motamedi		Title - Contact Supervisor, QA Produ	uct Suppo	Phone - Con 805-498-211	Email - Contact * rmotamedi@semtech.com			om	Duplicate Contact -> Authorized Representative						
Authorized Representati Roya Motamedi		Title - Representative Supervisor, QA Prod		-	resentative * 1		-	entative emtech.c		Supplier Com	ments or URL	for Add	litional li	nformation	
Requester Item Number		Mfr Item Number		Mfr Item Name	•	Effective	e Date	Version	Manufa	cturing Site	Weight *	UC	M	Unit Type	
		TClamp2472S.TCT		Low Capacita	nce TransClamp	þ		Chir			16.034	mg		Each	
Alternate Recommenda	ation				Alternate			Item Cor	tem Comments						
Manufacturing Proces	ss Inf	formation													
Terminal Plating / Grid Array I	Materi	al	Terminal Ba	ase Alloy	J-STD-020 MSL Ra	ating F	Peak Proc	ess Body	Tempera	ature Max Time	e at Peak Tem	perature	Number	of Reflow Cycles	
Matte Tin (Sn) CU Alloy				1				260 C		30 se	econds	3			
Comments TClamp2472S.TCT is RE	ACH	-compliant product,	per EU R	egulation EC	:1907/2006 to incl	lude rec	ent add	ition of \$	SVHC c	andidate list	of substanc	es in Ju	ne 201	5.	

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields						
RoHS Materia	RoHS Material Composition Declaration Declaration Declaration Type * Detailed												
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),						
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided						
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted						
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration						
Declaration S	ignature												
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se	• • • • •	and the second s	terrestring and - Distingthe stars						

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

		Item/SubItem			Homogeneous		Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		PPM
		Name			Material	weight	Measure		Level	Substance Category			Substance		Exempt			-	+	
+1	-1	Die	+M	-м	Doped silicon	0.12	mg	+C -C	Supplier		+S	-S	Si	7440-21-3		0.12	mg		7	,436
+1	-1	Lead frame	+M	-м	CDA 194	6.95	mg	+C -C	Supplier		+S	-S	Cu	7440-50-8		6.64	mg		4	14,06
											+S	-s	Fe	7439-89-6		0.16	mg		1	10,203
											+S	-s	Р	7723-14-0		0.01	mg		3	340
											+S	-s	Zn	7440-66-6		0.01	mg		5	510
											+S	-s	Ag	7440-22-4		0.13	mg		8	3,298
+1	-1	Bonding wire	+M	-м	Cu - Pd coating	0.046	mg	+C -C	Supplier		+S	-S	Cu	7440-50-8		0.04	mg		2	2,781
											+S	-s	Pd	7440-05-3		0	mg		7	71
+1	-1	Molding compound	+M	-м	CEL-1702	8.122	mg	+C -C	Supplier		+S	-s	SiO2	60676-86-0		7.09	mg		4	42,18
											+S	-s	Epoxy resin	29690-82-2		0.41	mg		2	25,326
											+S	-s	Phenol resin	26834-02-6		0.41	mg		2	25,326
											+S	-s	Aromatic poly-phospha	Proprietary		0.2	mg		1	12,663
											+S	-s	С	1333-86-4		0.01	mg		4	422
+1	-1	Die attached epoxy	+M	-м	8006NS	0.02	mg	+C -C	Supplier		+S	-S	Aluminum oxide	1344-28-1		0.01	mg		4	22
											+S	-s	Diethylene glycol mono	112-15-2		0.01	mg		4	422
											+S	-s	Epoxy resins	Proprietary		0.01	mg		3	347
											+S	-s	Amine			0	mg		5	50
+1	-I ·	Tin solder	+M	-м	Tin Alloy	0.78	mg	+C -C	Supplier		+S	-s	Sn	7440-31-5		0.78	mg		4	18,545